



Eastern Amber Fragrance Oil

Safety Data Sheet

SECTION 1: Identification of the Substance/Mixture and of the Company/Undertaking

- 1.1 Product Name:** Eastern Amber Fragrance Oil
Product Code: 303-339X
- 1.2 Intended Use:** Compound used in customer substance/mixture/product.
- 1.3 Supplier:** Majestic Mountain Sage Inc
2490 S 1350 W
Nibley, 84321 - United States of America
T 435.755.0863 - F 435.755.2108
www.TheSage.com
- 1.4 Emergency Telephone Number**
No additional information available

SECTION 2: Hazards Identification

2.1 Classification of the Substance or Mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification According to GHS and (EC) No 1272/2008 (CLP)

Flammable Liquids, Category 4	H227: Combustible Liquid.
Acute Toxicity Oral, Category 5	H303: May be harmful if swallowed.
Aspiration Hazard, Category 1	H304: May be fatal if swallowed and enters airways.
Acute Toxicity Dermal, Category 5	H313: May be harmful in contact with skin.
Skin Corrosion/Irritation, Category 2	H315: Causes skin irritation.
Sensitization, Skin, Category 1A	H317: May cause an allergic skin reaction.
Eye Damage/Irritation, Category 2A	H319: Causes serious eye irritation.
Acute Toxicity Inhalation, Category 5	H333: May be harmful if inhaled.
Aquatic Acute Toxicity, Category 1	H400: Very toxic to aquatic life.
Aquatic Chronic Toxicity, Category 2	H411: Toxic to aquatic life with long lasting effects.

Classification OSHA (Provision 1910.1200 of title 29)

Flammability	Class IIIA Combustible Liquid.
Acute Dermal/Eye	12: Causes moderate skin irritation. 15: May cause eye irritation.
Acute Inhalation	9: Harmful if absorbed through the skin. 25: Inhalation at high levels may cause: tremors, labored breathing, hypothermia, lethargy, ataxia.
Acute Oral	2: Harmful if swallowed.
Reproductive/Developmental	39: Causes reproductive/developmental toxicity in animals.
Sensitization/Allergic Response	31: May cause allergic skin reaction.
Target Organ Effects	26: Prolonged or repeated ingestion may cause damage to: kidneys, liver, spleen, blood, stomach, brain, bile duct, tongue, mucous membranes, musculo-skeletal system. 28: Prolonged or repeated Dermal Exposure may cause damage to: kidneys, skin.
Carcinogenicity	This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following: None [x] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label Elements

Labeling (REGULATION (EC) No 1272/2008)

Hazard Pictograms



Signal Word: Danger

Hazard Statements

H227	Combustible liquid.
H303	May be harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H313	May be harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H333	May be harmful if inhaled.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

Precautionary Statements

Prevention:

- P235 Keep cool.
- P264 Wash hands thoroughly after handling.
- P272 Contaminated work clothing should not be allowed out of the workplace.
- P273 Avoid release to the environment.

Response:

- P301+P310+P331 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting.
- P302+P352 IF ON SKIN: Wash with soap and water.
- P304+P312 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
- P312 Call a POISON CENTER or doctor/physician if you feel unwell.
- P333+P313 If skin irritation or a rash occurs: Get medical advice/attention.
- P337+P313 If eye irritation persists: Get medical advice/attention.
- P362 Take off contaminated clothing and wash before reuse.
- P363 Wash contaminated clothing before reuse.
- P370+P378 In case of fire: Use Carbon dioxide (CO₂), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material.
- P391 Collect Spillage.

2.3 Other Hazards

No data available

SECTION 3: Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS # Ingredient	EC#	Conc. Range	GHS Class.	OSHA Class.
24851-98-7	246-495-9	10-20%	H402	
<i>Methyl Dihydrojasmonate</i>				
54464-57-2	259-174-3	10-20%	H315; H317; H400; H410	11, 31
<i>Tetramethyl Acetyloctahydronaphthalenes</i>				
64742-47-8	265-149-8	10-20%	H227; H304; H336; H401; H411	3
<i>Distillates, petroleum, hydrotreated light</i>				
105-95-3	203-347-8	10-20%	H401	11, 15
<i>Ethylene brassylate</i>				
140-11-4	205-399-7	10-20%	H303; H401; H412	15, 25, 26, 31, 39
<i>Benzyl acetate</i>				
78-70-6	201-134-4	5-10%	H227; H303; H315; H317; H319; H402	12, 26
<i>Linalool</i>				
68917-33-9	284-515-8	5-10%	H226; H304; H315; H400; H410	12, 3, 31
<i>Lemon oil terpenes</i>				
120-51-4	204-402-9	2-5%	H302; H313; H400; H411	28, 3
<i>Benzyl Benzoate</i>				
8014-09-3	282-493-4	2-5%	H304; H316; H401; H411	
<i>Pogostemon cablin oil</i>				

CAS # Ingredient	EC#	Conc. Range	GHS Class.	OSHA Class.
32210-23-4	250-954-9	2-5%	H303; H317; H401	11, 15
<i>4-tert-Butylcyclohexyl acetate</i>				
68912-13-0	272-805-7	2-5%	H401; H411	11, 15
<i>Hexahydro-methanoindenyl Propionate</i>				
103-95-7	203-161-7	2-5%	H227; H303; H315; H317; H401; H412	11, 15, 31
<i>2-Methyl-3-(p-isopropylphenyl)propionaldehyde</i>				
60-12-8	200-456-2	2-5%	H302; H313; H316; H319	11, 15, 3
<i>phenethyl alcohol</i>				
81782-77-6	279-815-0	1-2%	H227; H400; H411	15
<i>4-Methyl-3-decen-5-ol</i>				
28219-16-6	248-908-8	1-2%	H319; H401; H411	11, 15, 31
<i>Ethyl trimethylcyclopentene butenol</i>				
91-64-5	202-086-7	1-2%	H302; H317; H402	12, 15, 2, 26, 31, 9
<i>Coumarin</i>				
115-95-7	204-116-4	0.1-1.0%	H227; H315; H317; H319; H320; H402	
<i>Linalyl Acetate</i>				
68737-61-1	272-113-5	0.1-1.0%	H227; H303; H313; H315; H317; H401; H411	12, 15, 31
<i>Dimethyltetrahydro Benzaldehyde</i>				
18096-62-3	241-997-4	0.1-1.0%	H303; H361	
<i>4,4a,5,9b-Tetrahydroindeno[1,2-d]-1,3-dioxine</i>				
112-54-9	203-983-6	0.1-1.0%	H315; H317; H319	
<i>Lauric aldehyde</i>				
23696-95-7	245-833-2	0.01-0.1%	H313; H315; H317; H401; H411	31
<i>1-(2,6,6-Trimethylcyclohexa-1,3-dienyl)-2-buten-1-one (Damascenone)</i>				

See Section 16 for full text of GHS classification codes
Total Hydrocarbon Content (% w/w) = 17.42

SECTION 4: First Aid Measures

4.1 Description of First Aid Measures

Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
Eye Contact:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Skin Contact:	Remove contaminated clothes. Wash thoroughly with water and soap. Contact physician if symptoms persist.
Ingestion:	Rinse mouth with water and obtain medical advice.

4.2 Most Important Symptoms/Effects, Acute and Delayed

Symptoms:	No data available.
Risks:	Refer to Section 2.2 "Hazard Statements".

4.3 Indication of Any Immediate Medical Attention and Special Treatment Needed

Treatment:	Refer to Section 2.2 "Response".
-------------------	----------------------------------

SECTION 5: Firefighting Measures

5.1 Extinguishing Media

Suitable:	Carbon dioxide (CO ₂), Dry Chemical, Foam.
Unsuitable:	Do not use a direct water jet on burning material.

5.2 Special Hazards Arising from the Substance or Mixture

During Fire Fighting:	Water may be ineffective.
------------------------------	---------------------------

5.3 Advice for Firefighters

Further Information:	Standard procedure for chemical fires.
-----------------------------	--

SECTION 6: Accidental Release Measures

6.1 Personal Precautions, Protective Equipment and Emergency Procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental Precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and Materials for Containment and Cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillage should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to Other Sections

Not applicable

SECTION 7: Handling and Storage

7.1 Precautions for Safe Handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for Safe Storage, Including Any Incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

7.3 Specific End Uses

No information available.

SECTION 8: Exposure Controls/Personal Protection

8.1 Control Parameters

Exposure Limits:

Component	ACGIH TWA ppm	ACGIH STEL ppm	OSHA TWA ppm	OSHA STEL ppm
140-11-4 <i>Benzyl acetate</i>	10			

Engineering Controls: Use local exhaust as needed.

8.2 Exposure Controls - Personal Protective Equipment

Eye Protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure.

Respiratory Protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin Protection: Avoid Skin contact. Use chemically resistant gloves as needed.

SECTION 9: Physical and Chemical Properties

9.1 Information on Basic Physical and Chemical Properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Pale Yellow (G3) to Yellow (G4)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	176°F (80.00°C)
Auto Flammability:	Not determined
Explosive Properties:	None expected
Oxidizing Properties:	None expected
Vapor Pressure (mmHg@20°C):	0.0876
%VOC:	15.643
Specific Gravity @ 25°C:	0.9480
Density @ 25°C:	0.9450
Refractive Index @ 20°C:	1.4750
Soluble In:	Oil

SECTION 10: Stability and Reactivity

10.1 Reactivity	None.
10.2 Chemical Stability	Stable.
10.3 Possibility of Hazardous Reactions	None known.

10.4 Conditions to Avoid	None known.
10.5 Incompatible Materials	Strong oxidizing agents, strong acids, and alkalis.
10.6 Hazardous Decomposition Products	None known.

SECTION 11: Toxicological Information
--

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute Toxicity-Oral-(Rat) mg/kg	(LD50: 3,330.00) May be harmful if swallowed
Acute Toxicity-Dermal (Rabbit) mg/kg	(LD50: 3,318.94) May be harmful in contact with skin
Acute Toxicity-Inhalation (Rat) mg/L/4hr	(LC50: 33.11) May be harmful if inhaled
Skin Corrosion/Irritation	Causes skin irritation
Serious Eye Damage/Irritation	Causes serious eye irritation
Respiratory Sensitization	Not classified - the classification criteria are not met
Skin Sensitization	May cause an allergic skin reaction
Germ Cell Mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive Toxicity	Not classified - the classification criteria are not met
Specific Target Organ Toxicity Single Exposure	Not classified - the classification criteria are not met
Specific Target Organ Toxicity Repeated Exposure	Not classified - the classification criteria are not met
Aspiration Hazard	May be fatal if swallowed and enters airways

SECTION 12: Ecological Information

12.1 Toxicity

Acute Aquatic Toxicity:	Very toxic to aquatic life.
Chronic Aquatic Toxicity:	Toxic to aquatic life with long lasting effects.

Toxicity Data on Soil: No data available.
Toxicity on Other Organisms: No data available.

12.2 Persistence and Degradability No data available.

12.3 Bioaccumulative Potential No data available.

12.4 Mobility in Soil No data available.

12.5 Other Adverse Effects No data available.

SECTION 13: Disposal Considerations

13.1 Waste Treatment Methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

SECTION 14: Transport Information

14.1 Transport Information

Regulator	Class	Pack Group	Sub Risk	UN-Nr.
U.S. DOT (Non-Bulk)	Not regulated - Not Dangerous Goods			
<i>Chemical NOI</i>				
ADR/RID (International Road/Rail)				
<i>Environmentally Hazardous Substance, Liquid, n.o.s.</i>	9	III		UN3082
IATA (Air Cargo)				
<i>Environmentally Hazardous Substance, Liquid, n.o.s.</i>	9	III		UN3082
IMDG (Sea)				
<i>Environmentally Hazardous Substance, Liquid, n.o.s.</i>	9	III		UN3082

SECTION 15: Regulatory Information

15.1 U.S. Federal Regulations

TSCA (Toxic Substance Control Act)

All components of the substance/mixture are listed or exempt.

40 CFR (EPCRA, SARA, CERCLA AND CAA)

This product contains NO components of concern.

15.2 U.S. State Regulations

California Proposition 65 Warning

This product contains the following components:

123-35-3(NF 204-622-5 0.01-0.1% beta-Myrcene (NFS)

15.3 Canadian Regulations

DSL/NDSL

100.00% of the components are listed or exempt.

SECTION 16: Other Information

16.1 GHS H-Statements Referred to Under Section 3

H226: Flammable liquid and vapor

H302: Harmful if swallowed

H316: Causes mild skin irritation

H317: May cause an allergic skin reaction

H320: Causes eye irritation

H336: May cause drowsiness or dizziness

H361: Suspected of damaging fertility or the unborn

H401: Toxic to aquatic life

H402: Harmful to aquatic life

H410: Very toxic to aquatic life with long lasting effects

H412: Harmful to aquatic life with long lasting effects

16.2 Total Fractional Values

(TFV) Risk

(2.14) Aspiration Hazard, Category 1

(2.96) Skin Corrosion/Irritation, Category 2

(5.00) Sensitization, Skin, Category 1A

(1.05) Eye Damage/Irritation, Category 2A

(1.04) Aquatic Acute toxicity, Category 1

(9.17) Aquatic Chronic Toxicity, Category 2

Notes:

This safety data sheet is based on the properties of the material known at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment holds no responsibility. This document is not intended for quality assurance purposes.