



Elements of Bamboo Fragrance Oil

Safety Data Sheet

SECTION 1: Identification of the Substance/Mixture and of the Company/Undertaking

1.1 Product Name: Elements of Bamboo Fragrance Oil
Product Code: 303-198X

1.2 Intended Use: Compound used in customer substance/mixture/product.

1.3 Supplier: Majestic Mountain Sage Inc
2490 S 1350 W
Nibley, 84321 - United States of America
T 435.755.0863 - F 435.755.2108
www.TheSage.com

1.4 Emergency Telephone Number
No additional information available

SECTION 2: Hazards Identification

2.1 Classification of the Substance or Mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification According to Regulation (EC) No. 1272/2008 [CLP]

| | |
|---|---|
| Flammable Liquids, Category 3 | H226: Flammable liquid and vapor. |
| Skin Corrosion/Irritation, Category 2 | H315: Causes skin irritation. |
| Skin Sensitization, Category 1 | H317: May cause an allergic skin reaction. |
| Serious Eye Damage/Irritation, Category 2 | H319: Causes serious eye irritation. |
| Aquatic Acute Hazard, Category 1 | H400: Very toxic to aquatic life. |
| Aquatic Chronic Hazard, Category 1 | H410: Very toxic to aquatic life with long lasting effects. |

2.2 Label Elements

Hazard Pictograms



Signal Word: Warning

Hazard Statements

| | |
|------|---|
| H226 | Flammable liquid and vapor. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H319 | Causes serious eye irritation. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |

Precautionary Statements

Prevention:

| | |
|------|--|
| P210 | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
| P233 | Keep container tightly closed. |
| P240 | Ground/bond container and receiving equipment. |
| P241 | Use explosion-proof electrical/ventilating/lighting equipment. |
| P261 | Avoid breathing mist or vapor. |
| P264 | Wash hands thoroughly after handling. |
| P272 | Contaminated work clothing should not be allowed out of the workplace. |
| P273 | Avoid release to the environment. |
| P280 | Wear eye protection/face protection and protective gloves. |

Response:

| | |
|----------------|---|
| P302+P352 | IF ON SKIN: Wash with plenty of water. |
| P303+P361+P353 | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. |
| P321 | Specific treatment (see supplemental first aid) |

| | |
|------------------------|---|
| P333+P313 | instruction on this label). If skin irritation or rash occurs: Get medical advice/attention. |
| P337+P313 P362+P364 | If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. |
| P370+P378 P391 | In case of fire: Use appropriate media to extinguish. Collect spillage |

Storage:

P403+P235 Store in a well ventilated place. Keep cool.

Disposal:

P501 Dispose of contents/container in accordance with local/regional/national/international regulations

2.3 Hazard(s) Not Otherwise Classified (HNOC)

None known.

2.4 Supplemental Information

82.93% of the mixture consists of component(s) of unknown acute inhalation toxicity. 10.97% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 15.13% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

| |
|--|
| SECTION 3: Composition/Information on Ingredients |
|--|

3.1 Mixtures

| Chemical Name | CAS Number | % |
|---|------------|---------|
| d-Limonene | 5989-27-5 | 30-<40% |
| Diethyl phthalate | 84-66-2 | 10-<20% |
| Orange sweet, Valencia oil | 8008-57-9 | 5-<10% |
| Lemon oil | 8008-56-8 | 3-<5% |
| Linalool | 78-70-6 | 3-<5% |
| Tangerine oil | 8016-86-1 | 3-<5% |
| (1,7,7-Trimethylbicyclo[2.2.1]hept-2-yl)cyclohexan-1-ol | 68877-29-2 | 1-<3% |
| Citral | 5392-40-5 | 1-<3% |

| | | |
|---|-------------------|----------|
| Dihydromyrcenol | 18479-58-8 | 1-<3% |
| Chemical Name | CAS Number | % |
| Eugenol | 97-53-0 | 1-<3% |
| Ginger oil | 8007-08-7 | 1-<3% |
| Grapefruit oil | 8016-20-4 | 1-<3% |
| Linalyl acetate | 115-95-7 | 1-<3% |
| Mandarin oil | 8008-31-9 | 1-<3% |
| 1-(5,6,7,8-Tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one | 1506-02-1 | <1% |
| 1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylcyclopenta-gamma-2-benzopyran | 1222-05-5 | <1% |
| Benzyl benzoate | 120-51-4 | <1% |
| Benzyl salicylate | 118-58-1 | <1% |
| Bergamot oil | 8007-75-8 | <1% |
| Geraniol | 106-24-1 | <1% |
| Lavender oil | 8000-28-0 | <1% |
| Musk ketone | 81-14-1 | <1% |
| Geranyl acetate | 105-87-3 | <0.3% |
| 2,4-Dimethyl-3-cyclohexen-1-carboxaldehyde | 68039-49-6 | <0.2% |
| Allyl hexanoate | 123-68-2 | <0.2% |
| Butylated hydroxytoluene | 128-37-0 | <0.2% |
| Cedarwood oil, Virginian | 8000-27-9 | <0.2% |
| Coriander seed oil | 8008-52-4 | <0.2% |
| alpha-Pinene | 80-56-8 | <0.1% |
| Vanillin | 121-33-5 | <0.1% |
| Other components below reportable levels | | 5-<10% |

SECTION 4: First Aid Measures

4.1 Description of First Aid Measures

| | |
|-----------------------|---|
| Inhalation: | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or artificial respiration if needed. Call a POISON CENTER or doctor/physician if you feel unwell. |
| Skin Exposure: | Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Wash contaminated clothing before reuse. |
| Eye Exposure: | Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists. |
| Ingestion: | Rinse mouth. Get medical attention if symptoms occur. |

4.2 Most Important Symptoms/Effects, Acute and Delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.

4.3 Indication of Immediate Medical Attention and Special Treatment Needed

Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

4.4 General Information

Take off all contaminated clothing immediately. If exposure or concerned: Get medical advice/attention. Ensure that medical personnel are away of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

SECTION 5: Firefighting Measures

5.1 Extinguishing Media

Suitable: Alcohol resistant foam, water fog, dry chemical powder, carbon dioxide (CO₂).

Unsuitable: Do not use a direct water jet on burning material, as this will spread the fire.

5.2 Special Hazards Arising from the Substance or Mixture

During Fire Fighting: Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed.

5.3 Advice for Firefighters

Special Protective Equipment for Firefighters:

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special Fire Fighting Procedures:

In case of fire and or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials.

General Fire Hazards:

Flammable liquid and vapor.

SECTION 6: Accidental Release Measures

6.1 Personal Precautions, Protective Equipment and Emergency Procedures

For Non-Emergency Personnel:

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillage cannot be contained. For personal protection, see Section 8 of the SDS.

6.2 Environmental Precautions

Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases.

6.3 Methods and Materials for Containment and Cleaning Up

Large Spills: Stop the flow of material, if this is without risk. Use water spray to reduce vapors or divert vapor cloud drift. Dike the spilled material, where this is possible. Use non-combustible material like vermiculite, sand or earth to soap up the product and place into a container for later disposal. Prevent product from entering drains. Following product recovery, flush area with water.

Small Spills: Absorb with earth, sand, or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see Section 13 of the SDS.

SECTION 7: Handling and Storage

7.1 Precautions for Safe Handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. When using do not smoke. Explosion-proof general and local exhaust ventilation. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Avoid inhalation of vapors and spray mists. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Should be handled in closed systems, if possible. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

7.2 Conditions for Safe Storage, Including Any Incompatibilities

Store locked up. Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS).

SECTION 8: Exposure Controls/Personal Protection**8.1 Occupational Exposure Limits****US. ACGIH Threshold Limit Values**

| Components | Type | Value | Form |
|---|------|---------------------|-------------------------------|
| alpha-Pinene (CAS 80-56-8) | TWA | 20 ppm | |
| Butylated hydroxytoluene (CAS 128-37-0) | TWA | 2 mg/m ³ | Inhalable fraction and vapor. |
| Citral (CAS 5392-40-5) | TWA | 5 ppm | Inhalable fraction and vapor. |
| Diethyl phthalate (CAS 84-66-2) | TWA | 5 mg/m ³ | |

US. NIOSH: Pocket Guide to Chemical Hazards

| Components | Type | Value |
|---|------|----------------------|
| Butylated hydroxytoluene (CAS 128-37-0) | TWA | 10 mg/m ³ |
| Diethyl phthalate (CAS 84-66-2) | TWA | 5 mg/m ³ |

US. Workplace Environmental Exposure Level (WEEL) Guides

| Components | Type | Value |
|-------------------------|------|----------------------|
| Vanillin (CAS 121-33-5) | TWA | 10 mg/m ³ |

Biological Limit Values: No biological exposure limits noted for the ingredient(s).

Exposure Guidelines**US ACGIH Threshold Limit Values: Skin Designation**

| | |
|------------------------|-----------------------------------|
| Citral (CAS 5392-40-5) | Can be absorbed through the skin. |
|------------------------|-----------------------------------|

Appropriate Engineering Controls:

Explosion-proof general and local exhaust ventilation. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

8.2 Individual Protection Measures, Such as Personal Protective Equipment

| | |
|----------------------------------|---|
| Eye/Face Protection: | Chemical respirator with organic vapor cartridge and full face piece. |
| Skin Protection: | Wear appropriate chemical resistant clothing and gloves. Use of an impervious apron is recommended. |
| Respiratory Protection: | Chemical respirator with organic vapor cartridge and full face piece. |
| Thermal Hazards: | Wear appropriate thermal protective clothing when necessary. |
| General Hygiene Measures: | When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace. |

| |
|--|
| SECTION 9: Physical and Chemical Properties |
|--|

9.1 Information on Basic Physical and Chemical Properties

| | |
|------------------------|------------------------|
| Appearance: | Golden to Dark Yellow |
| Physical State: | Liquid |
| Form: | Liquid |
| Color: | Not available |
| Odor: | Characteristic of name |
| Odor Threshold: | Not available |
| pH: | Not available |

| | |
|---|----------------------------------|
| Melting/Freezing Point: | -110.86 °C (-79.37 °F) estimated |
| Initial Boiling/Range: | 411 °C (210.55 °F) estimated |
| Flash Point: | 129.9 °C (54.4 °F) |
| Evaporation Rate: | Not available |
| Flammability (Solid, Gas): | Not applicable |
| Upper/Lower Flammability or Explosive Limits | |
| Flammability Limit - Lower (%): | Not available |
| Flammability Limit - Upper (%): | Not available |
| Explosive Limit - Lower (%): | Not available |
| Explosive Limit - Upper (%): | Not available |
| Vapor Pressure: | 1.358 hPa estimated |
| Vapor Density: | Not available |
| Relative Density: | Not available |
| Solubility(ies) | |
| Solubility (water): | No |
| Solubility (other): | Not available |
| Auto-ignition Temperature: | 855 °C (457.22 °F) estimated |
| Decomposition Temperature: | Not available |
| Viscosity: | Not available |

9.2. Other Information

| | |
|------------------------------|------------------------|
| Density: | 7.58 lbs/gal estimated |
| Explosive Properties: | Not explosive |
| Oxidizing Properties: | Not oxidizing |
| Refractive Index: | 1.474-1.479 |
| Specific Gravity: | 0.879-0.919 |

SECTION 10: Stability and Reactivity

10.1 Reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport.

10.2 Chemical Stability

Material is stable under normal conditions.

10.3 Possibility of Hazardous Reactions

Hazardous polymerization does not occur.

10.4 Conditions to Avoid

Avoid heat, sparks, open flames and other ignition sources. Avoid temperature exceeding the flash point. Contact with incompatible materials.

10.5 Incompatible Materials

Strong acids. Strong oxidizing agents.

10.6 Hazardous Decomposition Products

No hazardous decomposition products are known.

| |
|--|
| SECTION 11: Toxicological Information |
|--|

11.1 Information on Likely Routes of Exposure

| | |
|----------------------|--|
| Inhalation: | Harmful if inhaled. |
| Skin Contact: | Causes skin irritation. May cause an allergic skin reaction. |
| Eye Contact: | Causes serious eye irritation. |
| Ingestion: | Expected to be a low ingestion hazard. |

Symptoms Related to the Physical, Chemical and Toxicological Characteristics

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.

11.2 Information on Toxicological Effects

| | |
|--|--|
| Acute Toxicity: | Harmful if inhaled. May cause an allergic skin reaction. |
| Skin Corrosion/Irritation: | Causes skin irritation. |
| Serious Eye Damage/Irritation: | Causes serious eye irritation. |
| Respiratory or Skin Sensitization | |
| ACGIH Sensitization: | |
| Alpha-Pinene (CAS 80-56-8) | Dermal sensitization. |
| Citral (CAS 5392-40-5) | Dermal sensitization. |
| Respiratory Sensitization: | Not a respiratory sensitizer. |
| Skin Sensitization: | May cause an allergic skin reaction. |
| Germ Cell Mutagenicity: | No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. |
| Carcinogenicity: | Suspected of causing cancer. |

IARC Monographs. Overall Evaluation of Carcinogenicity

| | |
|---|--|
| Butylated hydroxytoluene (CAS 128-37-0) | 3 Not classifiable as to carcinogenicity to humans |
| d-Limonene (CAS 5989-27-5) | 3 Not classifiable as to carcinogenicity to humans |
| Eugenol (CAS 97-53-0) | 3 Not classifiable as to carcinogenicity to humans |

OSHA Specifically Regulated Substance (29 CFR 1910.1001-1050)

Not listed.

| | |
|--|--|
| Reproductive Toxicity: | This product is not expected to cause reproductive or developmental effects. |
| Specific Target Organ Toxicity Single Exposure: | Not classified. |
| Specific Target Organ Toxicity Repeated Exposure: | Not classified. |
| Aspiration Hazard: | Not an aspiration hazard. |
| Chronic Effects: | Prolonged inhalation may be harmful. |

SECTION 12: Ecological Information

12.1 Ecotoxicity

Very toxic to aquatic life with long lasting effects.

| Components | Species | Test Results |
|--|---|--------------------------------|
| 2,4-Dimethyl-3-cyclohexen-1-carboxaldehyde (CAS 68039-49-6) | No data available | No data available |
| Bergamot oil (CAS 8007-75-8) | No data available | No data available |
| Diethyl phthalate (CAS 84-66-2) Aquatic Crustacea EC50 Fish LC50 | Water flea (Daphnia magna) Rainbow trout, donaldson trout (oncorhynchus mykiss) | 86 mg/l, 48 h 12 mg/l, 96 h |
| Dihydromyrcenol (CAS 18479-58-8) | No data available | No data available |
| Lemon oil (8008-56-8) | No data available | No data available |

12.2 Persistence and Degradability No data is available on the degradability of this product.

12.3 Bioaccumulative Potential

| Partition coefficient n-octanol/water (log Kow) | |
|---|-------|
| alpha-Pinene | 4.83 |
| Benzyl benzoate | 3.97 |
| Diethyl phthalate | 2.47 |
| d-Limonene | 4.232 |
| Eugenol | 2.27 |
| Linalool | 2.97 |
| Vanillin | 1.37 |

12.4 Mobility in Soil No data available.

12.5 Other Adverse Effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: Disposal Considerations

13.1 Waste Treatment Methods

Disposal Instructions: Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national /international regulations.

Local Disposal Regulations: Dispose in accordance with all applicable regulations.

Hazardous Waste Code: The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.

**Waste from Residues/
Unused Products:** Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated Packaging: Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

| |
|--|
| SECTION 14: Transport Information |
|--|

14.1 Transport Information

DOT

| | |
|--------------------------------------|--|
| UN Number: | UN1169 |
| UN Proper Shipping Name: | Extracts, aromatic, liquid (SANDELA/SANTALEX REPLACER, PEARLIDE BB (GALAXOLIDE 50 BB)) |
| Transport Hazard Class(es) | |
| Class: | 3 |
| Subsidiary Risk: | - |
| Label(s): | 3 |
| Packing Group: | III |
| Special Precautions for User: | Read safety instructions, SDS and emergency procedures before handling. |
| Special Provisions: | B1, IB3, T2, TP1 |
| Packaging Exceptions: | 150 |
| Packaging Non Bulk: | 203 |
| Packaging Bulk: | 242 |

IATA

| | |
|-----------------------------------|----------------------------|
| UN Number: | UN1169 |
| UN Proper Shipping Name: | Extracts, aromatic, liquid |
| Transport Hazard Class(es) | |
| Class: | 3 |
| Subsidiary Risk: | - |

| | |
|--------------------------------------|---|
| Label(s): | 3 |
| Packing Group: | III |
| Environmental Hazards: | No. |
| ERG Code: | 3L |
| Special Precautions for User: | Read safety instructions, SDS and emergency procedures before handling. |
| Other Information | |
| Passenger and Cargo Aircraft: | |
| Aircraft: | Allowed. |
| Cargo Aircraft Only: | Allowed. |

IMDG

| | |
|--------------------------------------|---|
| UN Number: | UN1169 |
| UN Proper Shipping Name: | EXTRACTS, AROMATIC, LIQUID |
| Transport Hazard Class(es) | |
| Class: | 3 |
| Subsidiary Risk: | - |
| Packing Group: | III |
| Environmental Hazards | |
| Marine Pollutant: | No. |
| EmS: | F-E, S-D |
| Special Precautions for User: | Read safety instructions, SDS and emergency procedures before handling. |

Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code

DOT



IATA;IMDG



SECTION 15: Regulatory Information

15.1 U.S. Federal Regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Diethyl phthalate (CAS 84-66-2) Listed.

SARA 304 Emergency Release Notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

| | |
|--------------------------|-----------------------|
| Hazard Categories | Immediate Hazard: Yes |
| | Delayed Hazard: Yes |
| | Fire Hazard: Yes |
| | Pressure Hazard: No |
| | Reactivity Hazard: No |

SARA 302 Extremely Hazardous Substances

Not listed.

SARA 311/312 Hazardous Chemical

No.

SARA 313 (TRI Reporting)

Not regulated.

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112® Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA)

Not regulated.

15.2 U.S. State Regulations

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Reds, tit. 22, 69502.3, subd. (a))

Diethyl phthalate (CAS 84-66-2)

US. Massachusetts RT. - Substance List

alpha-Pinene (CAS 80-56-8)
 Butylated Hydroxytoluene (CAS 128-37-0)
 Diethyl phthalate (CAS 84-66-2)

US. New Jersey Worker and Community Right-to-Know Act

alpha-Pinene (CAS 80-56-8)
 Butylated Hydroxytoluene (CAS 128-37-0)
 Diethyl phthalate (CAS 84-66-2)

US. Pennsylvania Worker and Community Right-to-Know Law

alpha-Pinene (CAS 80-56-8)
 Butylated Hydroxytoluene (CAS 128-37-0)
 Diethyl phthalate (CAS 84-66-2)

US. Rhode Island RTK

Diethyl phthalate (CAS 84-66-2)

US. California Proposition 65

This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

15.3 International Inventories

| Country(s) or Region | Inventory Name | On inventory or exempt |
|-----------------------------|--|------------------------|
| Australia | Australian Inventory of Chemical Substances (AICS) | Yes |
| Canada | Domestic Substances List (DSL) | Yes |
| Canada | Non-Domestic Substances List (NDSL) | No |
| China | Inventory of Existing Chemical Substances in China (IECSC) | Yes |
| Europe | European Inventory of Existing Commercial Chemical Substances (EINECS) | Yes |
| Japan | Inventory of Existing and New Chemical Substances (ENCS) | Yes |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory | Yes |

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s).
A "No" indicates that one or more components of the product are not listed on the inventory administered by the governing country(s).

SECTION 16: Other Information

16.1 HMIS Ratings

Health: 2
Flammability: 1
Physical Hazard: 0
Personal Protection: B



16.2 NFPA Ratings

Health: 2
Flammability: 1
Instability: 0

Notes:

This safety data sheet is based on the properties of the material known at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment holds no responsibility. This document is not intended for quality assurance purposes.